

The book was found

# ISO 3951-1:2005, Sampling Procedures For Inspection By Variables - Part 1: Specification For Single Sampling Plans Indexed By Acceptance Quality Limit ... Quality Characteristic And A Single AQL



## Synopsis

ISO 3951-1:2005 specifies an acceptance sampling system of single sampling plans for inspection by variables, in which the acceptability of a lot is implicitly determined from an estimate of the percentage of nonconforming items in the process, based on a random sample of items from the lot. ISO 3951-1:2005 is primarily designed for application under the following conditions: where the inspection procedure is to be applied to a continuing series of lots of discrete products all supplied by one producer using one production process; where only a single quality characteristic  $x$  of these products is taken into consideration, which must be measurable on a continuous scale; where the measurement error is negligible, i.e. with a standard deviation no more than 10% of the process standard deviation; where production is stable (under statistical control) and the quality characteristic  $x$  is distributed according to a normal distribution or a close approximation to the normal distribution; where a contract or standard defines an upper specification limit  $U$ , a lower specification limit  $L$ , or both; an item is qualified as conforming if and only if its measured quality characteristic  $x$  satisfies the appropriate one of the following inequalities:  $x$  greater than or equal to  $L$  (i.e. the lower specification limit is not violated);  $x$  greater than or equal to  $U$  (i.e. the upper specification limit is not violated);  $x$  greater than or equal to  $L$  and  $x$  less than or equal to  $U$  (i.e. neither the lower nor the upper specification limit is violated). The first two inequalities are called cases with a single specification limit, and the third a case with double specification limits. If double specification limits apply, it is assumed in ISO 3951-1:2005 that conformance to both specification limits is equally important to the integrity of the product; in such cases it is appropriate to apply a single AQL to the combined percentage of product outside the two specification limits. This is referred to as combined control.

## Book Information

Paperback: 114 pages

Publisher: Multiple. Distributed through American National Standards Institute (ANSI) (August 23, 2007)

Language: English

ASIN: B000Y2SZ1K

Product Dimensions: 8.2 x 0.3 x 10.5 inches

Shipping Weight: 11.8 ounces (View shipping rates and policies)

Average Customer Review: Be the first to review this item

Best Sellers Rank: #6,037,529 in Books (See Top 100 in Books) #111 in Books > Engineering &

Transportation > Engineering > Reference > American National Standards Institute (ANSI)

Publications #975949 in Books > Textbooks

[Download to continue reading...](#)

ISO 3951-1:2005, Sampling procedures for inspection by variables - Part 1: Specification for single sampling plans indexed by acceptance quality limit ... quality characteristic and a single AQL ISO 2859-1/Amd1:2011, Sampling procedures for inspection by attributes - Part 1: Sampling plans indexed by acceptable quality level (AQL) for lot-by-lot inspection - Amendment 1 ISO 2859-2:1985, Sampling procedures for inspection by attributes - Part 2 : Sampling plans indexed by limiting quality (LQ) for isolated lot inspection ISO 2859-4:2002, Sampling procedures for inspection by attributes - Part 4: Procedures for assessment of declared quality levels ISO 1940-1:2003, Mechanical vibration -- Balance quality requirements for rotors in a constant (rigid) state -- Part 1: Specification and verification of balance tolerances ISO 10005:2005, Quality management systems - Guidelines for quality plans ISO/IEC 27002:2005, Information technology - Security techniques - Code of practice for information security management (Redesignation of ISO/IEC 17799:2005) Bridging the Communication Gap: Specification by Example and Agile Acceptance Testing Taber's Cyclopedic Medical Dictionary (Non-thumb-indexed Version) (Taber's Cyclopedic Medical Dictionary (Non-Indexed Version)) Barely Legal Magazine by Hustler. Collectors Guide from # 1 in September, 1993 to October, 2016: Complete Barely Legal Collector's Guide: INDEXED FOR EASY ... QUALITY (HIGH QUALITY COLLECTOR'S GUIDES) ISO 11146-1:2005, Lasers and laser-related equipment - Test methods for laser beam widths, divergence angles and beam propagation ratios - Part 1: Stigmatic and simple astigmatic beams ISO 14644-3:2005, Cleanrooms and associated controlled environments - Part 3: Test methods The Mindfulness and Acceptance Workbook for Anxiety: A Guide to Breaking Free from Anxiety, Phobias, and Worry Using Acceptance and Commitment Therapy Mindfulness and Acceptance for Treating Eating Disorders and Weight Concerns: Evidence-Based Interventions (The Context Press Mindfulness and Acceptance Practica Series) Single Mom: The Ultimate Guide to Single Parenting: How to Be Successful at Single Parenting and Raise your Kids Easily (Single Mom Books) ISO 1940-2:1997, Mechanical vibration - Balance quality requirements of rigid rotors - Part 2: Balance errors ISO/IEC 17025:2005, General requirements for the competence of testing and calibration laboratories The Handbook of Infrared and Raman Characteristic Frequencies of Organic Molecules Characteristic Classes. (AM-76) Poor-Quality Cost: Implementing, Understanding, and Using the Cost of Poor Quality (Quality and Reliability)

[Dmca](#)